




The OPAL EXPRESS

Published monthly by the American Opal Society...



VOLUME 21
NUMBER 5
MAY 1989

THE AMERICAN OPAL SOCIETY, INC.



proudly presents
its 22nd ANNUAL SHOW AND SALE
"The Opal Show"

*Featuring Opal: Rough, cut stones, and jewelry, Colored Stones, Pearls,
Equipment, Dealers, Displays, Demonstrations and Seminars*

November 18th and 19th 1989
CALIFORNIA STATE UNIVERSITY AT LONG BEACH
1212 Bellflower Blvd., Long Beach, CA
Student Union Building


Saturday 10-6 Sunday 10-5
Adults \$3.50. with student I.D. \$1.50; under 12, \$1.00

FREE PARKING

Bring this coupon for 50 cents off adult admission
For information write A.O.S., Inc. P.O. Box 1384, South Gate, CA 90280

SEMINARS, SATURDAY & SUNDAY

Cost. \$10.00 each. All six for \$50.



1. Elements of Jewelry Design
2. Opal Mining in Australia
3. Purchasing Opal Rough and Cut Stones
4. Types of Opal and Famous Opals
5. Orienting for Color
6. Evaluating and Pricing Cut Opals

For schedule and application please write:
AMERICAN OPAL SOCIETY, INC.
P.O. Box 1384
South Gate, CA 90280



GEM NEWS


TODAY'S
Feature
is on Opal Creations Ltd
One of the largest & most
reputable opal special-
ists in the world

HONG KONG 1988 CREATION

Discover an Australian Opal Mine Right in the heart of Hong Kong!

MINE-MUSEUM-SHOWROOM
IN A GEMSTONE CAVE COMPLEX!

We'll turn your visit into an enlightening tour as well as a most rewarding gem hunting experience. To show you uncut opals in their natural setting, we've set up a replica of an Australian mine.



You're free to inspect rare specimens of fossilized opal fish, bones and shells.

Observe how our skilled craftsmen cut and polish gemstones and then mount them on beautiful settings. In our showroom, there is a vast assortment of 3,000 finished items. Select a favourite piece on display or ask us to custom-make a special design for you within 24 hours.


We are also wholesalers who export opal stones and jewellery to various parts of the world. You'll be pleasantly surprised at the competitive factory prices we can offer.

Admission is free. So whether you're interested in buying or browsing around, drop in the Opal Creations today!

Some useful tips for buying opals:
• Carefully examine the opal

you choose. Avoid buying synthetic, doublet, dyed or inferior opal at the price of genuine opal.

- For the best selection of stones & styles, you must go to the specialists. It is safer to buy direct from those who mine and cut their own opals.
- Ask for a Certificate of Authenticity for a valuable purchase in total confidence.



INVITATION

To visit the world renowned Opal Creations Ltd.

- Opal mine replica
Explore a mine shaft filled with millions of years old fossilized opals. Witness the transformation of raw stones into exquisitely crafted gems
- Opal museum
Obtain first-hand history of opal formation. Observe the difference between genuine opals and synthetic dyed stones.
- Opal Showroom
Choose from a vast assortment of 3,000 finished items at factory price from US \$50 up.

HOURS

9:30 a.m. - 7:00 p.m.
Monday - Saturday

Sunday Open
9:30 a.m. - 3:30 p.m.


- Free admission for overseas buyers and visitors.

本陈列中心只接待海外买家及游客。

- Cards Accepted

Even Australians are buying their native opals in Hong Kong

The precious stones are mined in Australia. However Hong Kong is the "Opal-cutting Capital" of the world. Besides its traditional gem cutting experience, Hong Kong is universally famous for its low labour cost and sales tax free system. The price is much cheaper than the price you can find in Australia. It is not surprising to find the Australians buy their native opals in Hong Kong.




HOW TO GET THERE

If travelling by "MTR", use exit for "Miramar Hotel" at Tsimshatsui. The Opal Mine is located in the ground floor inside arcade of Burlington House at 92 Nathan Road, near Granville Road. It is on the opposite side of Nathan Road from the Mosque.



OPAL CREATIONS LTD.

Ground Floor Inside Arcade, Burlington House
92 Nathan Road, Kowloon, Hong Kong.
Tel: 3-7219933 Telex: 37828 HX Fax: 3-7236866



The Prez Says,

You are the backbone of The American Opal Society, Inc. If you know of anyone interested in opal, stone cutting or jewelry making, please invite them to join your Society.

The Founding Chapter has invitation cards to their meetings. Inside of the folded cards is a Weight Conversion Table like the one below. These Tables are worth carrying in your wallet or purse. If you would like one of these cards, I'm sure if you write to the Chapter and enclose a self addressed stamped envelope, they would send you one.

Our "Opal Express" advertisers help defray costs of printing and mailing of your newsletter, at the same time you often get a break. So let's get out there and help support them, as they do us.

I just received a letter from an Old Member of the Society, Julius Lippa. He is in the VA. Hospital with one side completely paralyzed due to a stroke. He sent me a plea to see if any one can help him and his wife sell the Gilson Man Made Opal to help with his expenses. Some one offered \$0.25 on the dollar. Is there anyone else with a better offer for a Veteran, as well as an Old Member, in need?

You can contact me, Dick Koch, by mail through the Society P.O. Box, or by telephone at, (213)869-0527. If you'd rather, you may contact Denise Lippa, Julius' wife, directly by mail at 7412 Arizona, Los Angeles, CA. 90045.

When you receive this News Letter, I'll be at Coober Pedy, assessing the damage & re by the March "Flooding". Most mines were inundated by water that filled them with a lot of muck. Millions .in machinery were lost, and some will never be dug out. It seems to happen every 12 years or so according to my source on the Fields at Coober Pedy.

If I can help to open a pipeline in Coober Pedy, please just let the secretary - know what is needed, and I'll have names, addresses and recommendations for you to contact.

I'll be able to see the real "Queen of Gems" come out of the ground as found. Wish you could all be there. More about this on my return.

See ya mates, it's off an' down I am.

Your Prez, Dick Koch

Weight Conversion Table

UNIT TO CONVERT	GRAMS	CARATS	OZ TROY	DWT	OZ AV	GRAIN
1 CARAT	.20	1			.00706478	3.08647
1 GRAM	1	5	.03215	.5430	.03627	15.4324
1 PENNYWEIG HT	1.5517		.05	1	.0548571	24
1 GRAIN	.06479	.3240	.0020633	0.041567	.0022857	1
1 OUNCE TROY	31.10348	155.51	1	20	1.09714	480
1 OUNCE AVOIRDUPOIS	28.3495	141.75	.01148863	18.2297		437.5
1 POUND TROY	373.241	1866.12	12	240	13.1857	5.760
1 POUND AVOIRDUPOIS	453.502	2267.96	14.5633	291.667	16	7.000



American Opal Society
Founding Chapter

Invitation

MONTHLY MEETING
2nd Thursday
Santa Fe Springs Library
11700 Telegraph Rd.

P.O. Box 3895
Downey, CA 90242

!!!!!! NEWS OF MEMBERS !!!!!

A letter from Julius Lipka, a long time member of the Society, was received and read at last night's Board Meeting. Julius suffered a severe stroke in November of 1985 and his right side remains completely paralyzed. He is in the Veteran's Hospital in the Wilshire area. That's Wadsworth V. A. Hospital, Building 215.

He writes that he has some exceptionally nice Gilson Opal that can be used in doublets or triplets. Very good color and brightness. If any dealer is interested in handling the sale of this opal, his wife Denise can be reached at 213-641-5756.

It was nice to hear from Julius again. Those of us who have been in the Society for awhile remember Julius best for his exquisite Gilson opal watch faces.

New member, Jeanne Rivard, owner of Australian Opal Consolidated Mining Corporation writes that in May, they will be displaying their newest creation, THE GUN-CUNJINGALI piece (Australian .Aboriginal translation "The Weeping Opal"). This is a 225 carat, semi-black opal, set with diamonds in a necklace designed by national award winner, Zoltan David. The piece debuted in April at the International Jewelry Show in Basel, Switzerland. It will be displayed May 26th and 27th, at Saks in Beverly Hills.

It was especially nice to see Earl and Esther Churchill at the Board Meeting last night. Earl has been in the hospital for awhile but is up and about again~ and working at his opal and jewelry.

No notice was received from the Founding Chapter this month. On another page you will see Dick Koch's pitch for the Chapter, and a card showing the day of the month and place for meeting and on the cover page of the OPAL EXPRESS is a map. If you need further information on program, etc. call Hal Brees at 714-861-1534 or Cathy Doten at 714-220-5891.

OPALS FROM OPAL BUTTE, OREGON

By Kevin Lane Smith

Recent mining at Opal Butte in northeastern Oregon has produced a wide variety of large flawless opals. The most common gem-quality varieties are hyalite and rainbow opal, but the less common play-of-color varieties contra luz, hydrophane, and crystal opal are economically more important. Fire, blue, and dendritic opal are also found. The opal occurs in rhyolite geodes embedded in decomposed perlite. More than 100 kg of material was uncovered from November 1987 through November 1988. The opal varies greatly in stability but the finest stable material makes excellent carving, cabochons, and even faceted stones.

The northeastern Oregon deposit of precious opal at Opal Butte has been known to collectors since at least 1892 (Kunz, 1893), but because of the inconsistency with which opal was found and the highly variable stability of the gem material itself, it was not considered to have significant commercial potential. Recent exploratory work, however, has established that there is enough stable gem-quality opal to make commercial mining feasible. In November 1987, West Coast Gemstones began the first systematic mining of this deposit.

LOCATION AND ACCESS

The mine is located on privately owned land in Morrow County, 35 miles (56 km) south of the town of Heppner. It lies on the western slope of Opal Butte, at an elevation of 4700 ft (1400 m). Opal Butte is part of the Blue Mountain Range, which covers much of northeastern Oregon. Snowy winters make mining possible only from May through November. Summers are quite dry, however, and temperatures up to 90°F (32°C) are common in July and August.

GEOLOGY AND OCCURRENCE

The dominant geologic features of northeastern Oregon are the extensive and voluminous Columbia River basalt flows. Erosional dissection of a northeast-trending anticline in this area has exposed an underlying series of early Tertiary (60-65 million years old) rhyolitic volcanic flows (Walker, 1977). The rhyolite geodes (popularly known as “thunder eggs”) in which opal is found occur in perlite, the glassy basal vitrophyre of the rhyolite. Locally, the perlite, a dark green, silica-rich rock, has been altered to a pastel clay. Opal-bearing geodes are found exclusively in the clay zones. This suggests that the hydrothermal alteration of the perlite to clay minerals is related to the opal deposition (Staples, 1965). No reports have been found

of any other opal deposits in this area.

The geodes may contain one or more of the following: agate stalactites, quartz crystals (rarely), handed agate, common opal, or various types of gem-quality opal. Approximately 70% of the geodes contain no opal, 20% contain common opal, and 10% contain some gem-quality opal; less than 1% contain opal with prominent play-of-color. The play-of-color opal most commonly occurs in a 0.5-2.5 cm layer near the top of a partial filled geode. The occurrence of opal in Oregon most closely resembles that of Querétaro, Mexico (Koivula et al., 1983).

The fact that the geodes differ greatly in content suggests that the temperature and/or composition of the mineralizing solutions varied considerably over time (Renton, 1936; Staples, 1965). About half of the geodes are lined with botryoidal agate and/or agate stalactites. On top of this agate layer in some geodes are alternate horizontal layers of agate and common opal. There was at least one major episode of common-opal deposition which completely filled many geodes. Almost every other geode, however, contains a unique sequence of layering. Some geodes contain convergent layers that indicate a tilt in the original beds of up to 100 degrees during the mineralization sequence.

The geodes also vary greatly in size, from a few centimeters to well over a meter in diameter. Most of the smaller geodes have little or no empty space, whereas the larger geodes have cavities comprising up to 75% of their total volume. There is little correlation between the size of a geode and its opal content. We have observed, however, that the smaller geodes may contain all gem-quality opal, whereas the giant geodes contain mostly common opal.

MINING

Mining is by open-pit excavation with a backhoe. To the best of the author's knowledge, the West Coast Gemstones operation represents the first use of mechanized mining at this locality. At the present time, only two people do the actual mining: One person operates the backhoe while the other retrieves the geodes (figure 3). After a few dozen geodes have been accumulated, they are carefully split to determine if they contain any opal. Most of the geodes contain natural fractures and can be opened easily without damaging much of the opal inside. Because so few of the geodes actually contain opal, it would not be economically feasible to saw each one open.

From November 1987, when mechanized mining first began, through November 1988, the mine produced a total of 100 kg of gem-quality material. Of this, 10 kg show definite play-of-color. Play-of-color opal is so rare that sometimes the miners may go as long as two weeks without finding any. The word that characterizes

this deposit most succinctly is unpredictable. For this reason, it is difficult to assess its future potential. However, mining is planned for at least the next five years.

STABILITY OF OREGON OPAL

The opals found at Opal Butte vary tremendously in stability. Some of the material can safely be left in the sun immediately after being mined; other pieces craze thoroughly within a few minutes of being exposed to dry air. Most of the geodes are layered, and some contain one or more layers that craze badly while the adjacent layers remain intact.

Crazing occurs when stress is created due to shrinkage from uneven loss of water. If a freshly dug water-saturated opal is exposed to dry air, the surface may begin to dry and shrink. We routinely test the stability of the opal by taking one of the many pieces that may be found in a single geode and placing it outside (the balance of the material is wrapped in wet paper towels and sealed in plastic buckets). If after several days the test piece has not crazed, the rest of the opal from that geode is unwrapped and left at room temperature and dryness. If these pieces do not craze after two months, they are deemed stable. Of the opals that were stable after two months, more than 95% remained uncracked a year later.

Crazing can be prevented in some opals by carefully controlled or extremely slow drying, to avoid a steep moisture gradient between the surface and the interior by promoting even shrinkage. For example, if the initial test piece from a geode does craze, the remaining material is usually allowed to dry out slowly, at room temperature, over the course of eight or more months. This slow curing stabilizes about half of the material that initially crazed readily. The author has developed another method whereby some of the unstable material is packed in wet sand in covered Pyrex containers. These containers are then placed in an oven at 200°F. After the sand dries out, approximately two days later, the stones are left in the dry heat an additional 12 hours to firmly establish the outcome. Approximately 25% of the material treated by this method emerged uncrazed.*

**Tests still underway indicate that approximately 20% of the opals that do not make it through the oven without cracking would have become stable if put through the much longer room-temperature curing process.*

These methods will usually work as long as the opal is homogeneous in terms of water affinity. If some layer or zone in an opal holds water less tightly than another, however, differential shrinkage will cause cracking no matter how carefully it is cured. Even very stable opal

may crack some if left on the matrix, because cracks may form near the interface between the opal (which may shrink some) and the rhyolite matrix (which will not shrink). Cracks near the opal/ geode boundary generally do not propagate deeply into an otherwise solid opal, so matrix pieces can still be very attractive mineral specimens.

Considerable work remains to thoroughly evaluate the various techniques for stabilizing opal that at first appears to be unstable, but the assessment of the opal that is stable from the start appears to be very good. The author knows of three private collections with opals collected from this locality over 15 years ago that have remained stable. The flawless 135-ct contra luz opal was found in 1972.

It is not possible to predict with great certainty which opals will crack, and which will not, based on macroscopic appearance. However, some generalizations are made in the following description of the different types of opal found at Opal Butte.

VISUAL APPEARANCE AND GEMOLOGICAL PROPERTIES OF THE DIFFERENT OPAL TYPES

Several varieties of gem-quality opal have been recovered at Opal Butte. The rarest, those with distinct play-of-color, are referred to as contra luz, hydrophane, and crystal. The most common varieties are rainbow and hyalite, but fire and blue opal also occur, as well as a dendritic variety. Table 1 provides approximate figures on the relative abundance and stability of the various types of gem opal found at Opal Butte. Table 2 lists the refractive indices (flat facet readings) for the different types as well as their reaction to long- and short-wave U.V. radiation. In general, the opals vary in specific gravity from 1.3 for the lightest (dry) hydrophane to 2.2 for the heaviest (wet) clear material. Similarly, they vary in hardness from 4 on the Mohs scale for the chalky hydrophane to 6 ~/2 for the clear pieces. All show a conchoidal fracture, pearly to vitreous in luster. No reaction was visible with either the polariscope or the Chelsea color filter.

TABLE 1. Approximate relative abundance and overall stability of the different types of gem-quality opal mined at Opal Butte from November 1987 to November 1988.

Type	Abundance* %	Stability ^b %
Contra luz	5	70
Crystal	2	60
Hydrophane	2	90
Contra luz/crystal	1	80
Rainbow	25	90
Hyalite	43	70
Fire	6	20
Blue	12	90
Dendritic	1	75

*Percentage of the 100-kg gem-quality opal mined during this period. The remaining 3% include hydrophane with no play-of-color.

^b The percentage of the material of this type found that was stable when mined and has remained so over time.

TABLE 2. Refractive index and reaction to ultraviolet radiation of the different types of Opal Butte opal.

Type	RI.	Reaction to U.V. radiation*	
		Long-wave	Short-wave
Contra luz	1.44-1.45	Weak green	Very strong green
Crystal	1.45	Very weak green	Medium green
Hydrophane	1.43-1.45	Strong chalky bluish white	Very weak white
Contra luz and crystal play-of-color	1.44-1.45	Chalky white	Weak green
Rainbow	1.44	Weak green	Very strong green
Hyalite	1.45	Weak green	Very strong green
Fire	1.42-1.43	None	None to weak green
Blue	1.47	None	None to weak green

* No phosphorescence was observed in any of the pieces tested

Opal with Play-of-Color: Contra Luz, Crystal, and Hydrophane.

About 10% of the gem-quality opal found at Opal Butte shows distinct play-of-color. Half of this material is similar in appearance to Mexican contra luz opal (Leechman, 1984). The play-of-color is only apparent in transmitted light and most commonly occurs in a pinfire pattern, but harlequin and other types are also observed. Most of the contra luz opal is clear or very nearly clear, but white, orange, and yellow opal with contra luz play-of-color is also found. About 70% of the contra luz opal is stable to spontaneous crazing.

Almost half of the opal with “normal” play-of-color (i.e., that which is apparent with reflected light, as with most Australian opal), is clear or almost clear, and is referred to as crystal opal.

Sixty percent of this material is stable. Some pieces show both contra luz and “normal” (crystal) play-of-color.

The remaining half of the opal with “normal” play-of-color is referred to as hydrophane; that is, it is exceptionally porous and does not hold water tightly. Hydrophane may be either clear or white when saturated with water, but the clear material turns white when dry (figure 6). Unlike the hydrophane described in Bauer (1969), this material has good play-of-color both when clear and when white. The hydrophane that is white when wet is not only more porous and softer than the clear hydrophane, but it is also less likely to crack when it dries. Some of the clear hydrophane is unstable when wet but becomes stable when it dries out. Conversely, some white hydrophane may crack if suddenly immersed in water. Resorption of water occurs quite readily: A dry stone takes only a few hours to become completely saturated. You can distinguish most hydrophane from other opals by touching it with the tip of your tongue, which will stick to dry hydrophane.

The play-of-color in white hydrophane opal is usually stronger when the material is dry. Some of the clear hydrophane, however, has more brilliant play-of-color

when it is wet. Thus far we have found no hydrophane at Opal Butte that has play-of-color when in water but none when dry. Over 90% of the hydrophane opal from this locality is stable.

Rainbow Opal. This material has a type of color play that makes the stone glow soft shades of the spectrum as light passes through it (figure 7). The colors change as the angle of illumination changes, with red light being bent more than blue light. Rainbow opal is about five times more plentiful than contra luz at Opal Butte, but the two types commonly are closely associated. In most geodes that contain contra luz opal, the contra luz overlies a layer of rainbow opal.

Rainbow opal has been the most consistently stable type of opal found at Opal Butte, and represents the largest flawless pieces (some more than 500 grams) found to date. Rainbow opal also lends itself well to faceting (figure 8).

Hyalite Opal. Hyalite is clear opal with no fire. This is the most abundant type of opal (other than common opal) found at Opal Butte. The best is a light ethereal blue that is well suited for faceting and carving (figure 9). When faceted, it reflects yellow light off the pavilion faces even though the body of the stone is light blue. Much of the hyalite opal contains zones or layers of orange. Several flawless pieces of blue hyalite weighing 300-500 grams were found in 1987 when mining began, but only one piece this size was uncovered in 1988. Most of the hyalite opal is stable.

Fire Opal. Orange and red opal similar to Mexican fire opal is also found at Opal Butte (figure 10). Unfortunately, most of the orange opal is unstable, crazing within minutes of exposure to air. The dark red material tends to be much more stable.

Blue Opal. A few geodes have been found to contain nearly opaque, dark blue opal. Although these geodes are rare, thus far they have been quite large. Most of this “blue” opal has a greenish tint, but some is pure blue. We found approximately 100 grams of this material that at first appeared to be opaque, but when backlit proved to be very translucent.

Dendritic Opal. Another rare feature in Oregon opal is the presence of manganese oxide dendrites. These dramatic inclusions may form as dense black spots or as delicately branching dendrites.

DISTRIBUTION AND CUTTING

Most of the high-grade play-of-color material from Opal Butte has been worked into finished jewelry or stone carvings by the author. Although some

adjustments have to be made for the softness of the dry white hydrophane, the rest of the opal works very much like opal from other localities. High-dome cabochons are the most effective cut for displaying the contra luz play-of-color in jewelry. Much of the material is suitable for doublets. Specimens on matrix as well as cutting-grade rough and cut stones are also marketed.

CONCLUSION

Although it does not occur in large quantities, the quality and diversity of Oregon opal gives it special gemological significance. Many interesting geologic and gemological questions concerning the physical properties and mode of occurrence of these opals remain to be addressed.

REFERENCES

- Bauer M. (1969) Precious Stones. Tuttle Co., Rutland, VT.
Koivula J.I., Fryer C., Keller P.C. (1983) Opal from Querétaro, Mexico: Occurrence and inclusions. *Gems & Gemology*, Vol. 19; No. 2, pp. 87-96.
Kunz G.F. (1893) Precious stones. In D. T Day, Ed., *Mineral Resources of the United States, Calendar Year 1892*, Government Printing Office, Washington, DC.
Leechman F. (1984) *The Opal Book*. Lansdowne Press, Sydney, Australia.
Renton J.L. (1936) Opal or agate filled "thunder eggs." *The Mineralogist*, Vol. 4, pp. 12, 46, 48, 50, 52.
Staples L.W (1965) Origin and history of the thunder egg. *The Ore Bin*, Vol. 27, pp. 189-204.
Walker G.W (1977) *Geological Map of Oregon East of the 121st Meridian*. United States Geological Survey, Department of the Interior.

ABOUT THE AUTHOR

Mr. Smith is a consulting geologist for West Coast Gemstones and a free-lance designer, goldsmith, and stone cutter residing in Seattle, Washington.

Acknowledgments: Special thanks to Dale Huett of West Coast Gemstones, whose expert mining has made this opal available. Thanks to Jim O'Donnell, Dick Graham, and other fine people of the Kinzua Corporation for their help and cooperation in establishing a mine at Opal Butte. Special thanks also to Whitney Alexander for continuous support, to Linda Brown for support and for typing the manuscript, and to Curt Wilson (or generous assistance in compiling the gemological data. Woody Palmer provided invaluable information and encouragement at the start of this project.

All of the stones illustrated in this article were cut or carved by the author, who also designed and manufactured the two pieces of jewelry shown. Photos that are not otherwise credited are by the author.

©1989 Gemological Institute of America

GEMS a GEMOLOGY Winter 1988

This article was taken from the Winter 1988 issue of GEMS AND GEMOLOGY published by G.I.A. Single editions of the magazine can be obtained for \$10.00 each by writing:

Subscriptions Manager:
GEMS AND GEMOLOGY
Gemological Institute of America
1660 Stewart St.
Santa Monica, CA 90404

Eds. note: The color pictures accompanying the article are well worth the price of the magazine!



P.O. Box 90641
Long Beach, CA 90809

Jewett & Dorothea Pattee
213-425-2426

WHOLESALE MAIL ORDER OPAL SPECIALISTS

Now featuring GEM MOUNTAIN SAPPHIRE GRAVEL
CONCENTRATE in 4/1 bags. 1/\$10 - 2/\$18

EVANS SUPREME GEMS
Bob & Elma Evans

P.O. Box 1305
SPRING VALLEY, CA 92077

(610) 463-8369

Manufacturer
Wholesale

Tel: (213) 888-0344
(818) 282-2697

SCHULZ & WU INC.
SPECIALIZED IN OPAL JEWELRY
CRYSTAL CAKE TOPS

HERNER SCHULZ
Montebello Town Center
Montebello CA 90640

YUNG WU SCHULZ
Graduate Gemologist
Appraisals & Identification

Glendora GEMS

(FORMERLY GODDARD ROCK CLUB)

**PRESENTS ITS ANNUAL
GEM and MINERAL
SHOW
JUNE 3-4, 1989**

SAT. 10AM-3PM

SUN. 10AM-4PM



GODDARD SCHOOL GYM
859 East SIERRA MADRE AVENUE, GLENDORA, CA.

DEALERS • DEMONSTRATIONS • OVER 100 DISPLAYS • COMPETITION
DOOR PRIZES • REFRESHMENTS

FREE PARKING and ADMISSION

INITIATION FEE: \$10.00, DUES \$20.00 PER YEAR, AFTER JULY 1ST, \$10.00

NO. _____ CHAPTER (NAME): _____

NAME: _____

ADDRESS: _____

CITY: _____ STATE: _____ ZIP: _____

TELEPHONE (AREA): _____ (Home) _____ (Business) _____

OCCUPATION: _____

SPECIAL INTEREST: _____

OFFICERS AND DIRECTORS


DICK KOCH, PRES., 213-927-4372
NOEL LANKIN, 1ST VICE-PRES. 714-529-8031
HAROLD UMBERSON, 2ND VICE-PRES. 213-693-7380
DOLORES PROULX, TREAS. 714-596-6396
JOYCE FUNK, SECRETARY, 213-869-0527
JEWETT PATTEE 213-424-2426 DR. ROSS STAMBLER, 213-693-6898
WILLIAM VEATCH, 213-833-8906 EARL CHURCHILL, 714-962-7154
HAROLD BREES, 714-861-1534 IDA PROUE, 714-596-6396
DOROTHEA PATTEE, 213-425-2426 EDITH OSTRANDER, 213-698-3985

RETURN TO:



AMERICAN OPAL SOCIETY, INC.
P.O. BOX 1384
SOUTH GATE, CA 90280

FIRST CLASS



FOUNDING CHAPTER-SANTA FE SPRINGS LIBRARY